



DEFCON
SURRENDER NOTHING

2020 Catalog



SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Ball Bearing

Blade Shape: Drop Point

Blade Material: CPM S35VN

Handle Material: 6AL4V Titanium

Blade Length: 4.62"

Handle Length: 5.25"

Overall Length: 8.75"

Overall Weight: 6.3 oz




TD1001

Design by Michael Ruth Jr. ABS Junior Smith

DEFCON

At DEFCON, our team works with designers and innovators around the world bringing you some of the finest production knives available. Our 20 years of experience in the swords and knife industry has given us a unique ability to offer knives ranging from EDC pocket knives to tactical folders and fixed blade. Each knife is produced to the exact specification using precision machining, the best materials, and the best of heat treatments. We will stop at nothing to continue to innovate and to produce top notch products to the consumer; Surrender Nothing!



JUNGLE KNIFE




PROELIA



HYDRA

10Cr15CoMov Damascus Steel

The 10Cr15CoMov is created in an effort to recreate the vastly popular VG10 steel. The 10Cr15CoMov Damascus is beautifully crafted 67 layer Damascus steel and offers great edge retention with high carbon content as well as addition of cobalt. Each blade is hand finished by our craftsman to the greatest detail. HRC 58-60



TF4406-1

NEW

KATANA

TF4406 SERIES



TF4406

TF4406-2

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Bearings

Blade Shape: Tanto

Blade Material: 10Cr15Mov Damascus

Blade Thickness: 3.1 mm

Handle Material: 6AL4V Titanium

Blade Finish: Satin Damascus

Blade Length: 3.5"

Handle Length: 5"

Overall Length: 9"

Weight: 2.7 oz

NEW

PEREGRINE

TF4394 SERIES

SPECIFICATION:

Opening Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Modified Sheep Foot

Blade Material: 10Cr15CoMov Damascus

Blade Thickness: 3.1 mm

Handle Material: 6AL4V Titanium

Blade Finish: Satin Damascus

Blade Length: 4"

Handle Length: 5"

Overall Length: 10.7"

Weight: 2.5 oz



TF4394-2



TF4394-1

TF4394

NEW

ATLAS

TF5344 SERIES

SPECIFICATION:

Opening Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Modified Back Tanto

Blade Material: CPM S35-VN

Blade Thickness: 3.7 mm

Handle Material: 6AL4V Milled Titanium
w/ Carbon Fiber Inlay

Blade Finish: Satin Brush

Blade Length: 3.7"

Handle Length: 5"

Overall Length: 8.7"

Weight: 5.0 oz



NEW

RHINO

TF9315 SERIES

SPECIFICATION:

Opening Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Drop Point

Blade Material: M390

Blade Thickness: 3.2 mm

Handle Material: 6AL4V Milled Titanium

Blade Finish: Satin Brush

Blade Length: 2.5"

Handle Length: 3.2"

Overall Length: 5.7"

Weight: 1.9 oz



TF9315



TF9315-1



TF9315-2

NEW

VALKYRIE

TF9393 SERIES

SPECIFICATION:

Opening Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Drop Point

Blade Material: M390

Blade Thickness: 3.2 mm

Handle Material: 6AL4V Milled Titanium
w/ Carbon Fiber Inlay

Blade Finish: Satin Brush

Blade Length: 3"

Handle Length: 4.1"

Overall Length: 7.1"

Weight: 2.7 oz



TF9393



TF9393-2

TF9393-1

NEW

ARCHANGEL

TF9312 SERIES

SPECIFICATION:

Opening Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Spear

Blade Material: M390

Blade Thickness: 4.7 mm

Handle Material: 6AL4V Milled Titanium
w/ Forged Fiber Inlay

Blade Finish: Satin Brush

Blade Length: 3.3"

Handle Length: 5.6"

Overall Length: 8.9"

Weight: 4.1 oz

TF9312-1

Titanium Damascus Pivot Cover

TF9312



TF3101-1



TF3101-2



TF3101

CLAW

TF3101 SERIES

SPECIFICATION:

Blade Shape: Modified Hawkbill w/ Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Titanium
w/ Forged Carbon

Blade Length: 4"

Handle Length: 4.5"

Overall Length: 8.5"

Overall Weight: 9.9 oz

@12VOLT NINJA

HYBRID TF3220 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearing

Blade Shape: Sheepfoot w/
Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Milled
Titanium & G10

Blade Length: 3.75"

Handle Length: 5"

Overall Length: 8.75"

Overall Weight: 4.4oz

TF3220



TF3220-1



TF3217



TF3217-3

NEW



ULU TF3217 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Modified Hawkbill w/ Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Milled Titanium

Blade Length: 3.5"

Handle Length: 4.75"

Overall Length: 8"

Overall Weight: TF3217 4.6oz, TF3217-3 4.4oz

SPHERE

TF3329 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade shape: Drop Point w/ Rolled Spine

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Milled Titanium

Blade Length: 3.5"

Handle Length: 4.75"

Overall Length: 8"

Overall Weight: 4.3oz

TF3229

TF3229-1



TF3229-2



NEW

TF3229-3

Forged Carbon





BARRACUDA

TF3330 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Straight Back w/ Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Milled Titanium

Blade Length: 3.5" **Handle Length:** 4.75"

Overall Length: 8.25"

Overall Weight: 3.7 oz



TF3333



TF3333-1



TF3333-2

RADIOACTIVE

TF3333 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Tanto w/ Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Titanium

Blade Length: 3.25"

Handle Length: 4.5"

Overall Length: 7.8"

Overall Weight: 4.2 oz



With Carbon Fiber Inlay

TF3334-3

NEW

TF3334



TF3334-1



TF3334-2



CUTTER

TF3334 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Drop Point w/ Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Titanium

Blade Length: 3.5" **Handle Length:** 4.75"

Overall Length: 8.25"

Overall Weight: 3.6 oz

NEW

DRACO

TF4100

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Straight Back w/ Swedge

Blade Material: 52100 Ball Bearing Damascus

Handle Material: 6AL4V Titanium

Blade Length: 3.5"

Handle Length: 5"

Overall Length: 9"

Overall Weight: 4.1 oz





With Forged Carbon
TF5219-3

NEW

TF5219



TF5219-1



TF5219-2



SHARK'S TOOTH TF5219 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Spear Point w/ Swedge

Blade Material: CPM S35-VN

Handle Material: 6AL4V Milled Titanium

Blade Length: 3.5" **Handle Length:** 5"

Overall Length: 8.75"

Overall Weight: 5.1 oz

RAPTOR

TF5221 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Modified Hawkbill w/ Swedge

Blade Material: CPM S35-VN

Handle Material: 6AL4V Milled Titanium

w/ Forged Carbon

Blade Length: 3"

Handle Length: 5.25"

Overall Length: 8"

Overall Weight: 5.3 oz




TF5221-2

TF5221-1



TF5221






With Forged Carbon

TF5288-3

NEW



With Forged Carbon

TF5290-3

NEW

TF5288



TF5288-1



TF5288-2



TF5290-4



TF5290



TF5290-2



KABUTO

TF5288 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Drop Point

Blade Material: CPM S35-VN w/ Silicon Nitride Coating

Handle Material: 6AL4V Milled Titanium

Blade Length: 3.75" **Handle Length:** 5"

Overall Length: 8.75"

Overall Weight: 4.6 oz

MAKO

TF5290 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Drop Point

Blade Material: CPM S35-VN

Handle Material: 6AL4V Titanium

Blade Length: 3.5" **Handle Length:** 5"

Overall Length: 8.75"

Overall Weight: 5 oz

AGENT

TF5289 SERIES

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade shape: Drop Point w/ Rolled Spine

Blade Material: CPM S35-VN

w/ Silicon Nitride Coating

Handle Material: 6AL4V Milled Titanium

Blade Length: 4"

Handle Length: 5"

Overall Length: 9"

Overall Weight: 5.1 oz

TF5289



TF5289-1



TF5289-2



NEW

With Forged Carbon

TF5289-3



NEW

TF5289-4



NEW

TF5289-5





TX903

NEW



PROELIA

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Trailing Point

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.65"

Handle Length: 4.85"

Overall Length: 8.5"

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Sheep Foot

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Stone Wash Silver

Blade Length: 3.15"

Handle Length: 4.3"

Overall Length: 7.45"



TX910

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Trailing Point

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.7"

Handle Length: 5"

Overall Length: 8.7"



TX912

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Drop Point

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Stone Wash Black

Blade Length: 3.66"

Handle Length: 5"

Overall Length: 8.75"



TX916

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Sheep Foot

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.4"

Handle Length: 4.7"

Overall Length: 8.46"



TX926

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Tanto

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.5"

Handle Length: 4.6"

Overall Length: 7.5"

TX927



TX927BK

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Hawkbill

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.35"

Handle Length: 5"

Overall Length: 8.4"



TX931

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Drop Point

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.5"

Handle Length: 4.75"

Overall Length: 8.3"



TX934

NEW



TX948

NEW

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Ball Bearing

Blade Shape: Sheep Foot

Blade Material: D2 Steel

Blade Thickness: 4 mm

Handle Material: G10 Composite

Blade Finish: Brush Satin Silver

Blade Length: 3.35"

Handle Length: 4.75"

Overall Length: 8"



TX010

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Tanto Blade
Blade Material: D2 Air Hardened Steel
Handle Material: G10 Composite
Blade Length: 3.6"
Handle Length: 5"
Overall Length: 8.5"
Overall Weight: 7.1 oz



TX020

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot:
Blade Shape: Drop Point
Blade Material: D2 Air Hardened Steel
Handle Material: G10 Composite
Blade Length: 3.7"
Handle Length: 5"
Overall Length: 8.75"
Overall Weight: 6.9 oz



TX030

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Tanto Blade
Blade Material: D2 Air Hardened Steel
Handle Material: G10 Composite
Blade Length: 3.5"
Handle Length: 5.2"
Overall Length: 8.75"
Overall Weight: 8 oz



TX040GNS

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Modified Kukri-Drop Point
Blade Material: CPM S35VN
Handle Material: G10 Composite
Blade Length: 3.6"
Handle Length: 5"
Overall Length: 8.65"
Overall Weight: 5.3 oz



TX040RS

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Modified Kukri-Drop Point
Blade Material: CPM S35VN
Handle Material: G10 Composite
Blade Length: 3.5"
Handle Length: 5"
Overall Length: 8.65"
Overall Weight: 5.3 oz



TX050

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Drop Point
Blade Material: CPM S35VN
Handle Material: G10 Composite
Blade Length: 3.6"
Handle Length: 5"
Overall Length: 8.5"
Overall Weight: 5.8 oz



TX050CFS

SPECIFICATION:

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Drop Point
Blade Material: CPM S35VN
Handle Material: Carbon Fiber
Blade Length: 3.5"
Handle Length: 5"
Overall Length: 8.45"
Overall Weight: 5.7 oz



TX060

SPECIFICATION:

Open Method: Manual
Lock Type: Frame Lock
Blade Pivot: Caged Bearings
Blade Shape: Drop Point
Blade Material: CPM S35VN
Handle Material: G10 Composite
Blade Length: 3.48"
Handle Length: 4.75"
Overall Length: 8.45"
Overall Weight: 5.5 oz



TD001BK



TD001SL

SPECIFICATION:

Blade Shape: Full Tang

Blade Material: D2 Tool Steel

Handle Material: G10

Blade Length: 5.75"

Handle Length: 5.5"

Overall Length: 10.8"

Overall Weight: 11.2 oz (16 oz w/ Sheath)



TD002BK



TD002SL

SPECIFICATION:

Blade Shape: Full Tang

Blade Material: D2 Tool Steel

Handle Material: G10

Blade Length: 5.75"

Handle Length: 5.5"

Overall Length: 11.3"

Overall Weight: 11.2 oz (16 oz w/ Sheath)



TD003BK



TD003SL

SPECIFICATION:

Blade Shape: Full Tang

Blade Material: D2 Tool Steel

Handle Material: G10

Blade Length: 8.75"

Handle Length: 5.5"

Overall Length: 14.5"

Overall Weight: 17.6 (22.4 oz/ Sheath)

TOP QUEST INC.,

Top Quest Inc., founded in 2013 with a goal of changing the U.S. market and move from the current state which views samurai products as ornamental into something better, to craft and create utility at many different levels beyond just show and tell, and to carry the spirit of the true samurai.

DEFCON brand is created under Top Quest Inc. to push the forward thinking of the founder Sam Sung whom created several trademark and patents during his 20 years career in the swords and knife industry. Our focus is to bring high quality products through research and development with innovating and exciting design. With our founder's unique experience in the industry, we are able to improve on the knife manufacturing process as well as building a stronger connection and foundation with our friends and families in the knife industry including many great knife smiths from the American Bladesmith Society.

This spirit of innovation and improvement will continue into the future and will result in new and exciting products such as the products recently released and also new products that are currently being developed. We welcome a relationship with you as we continue to design, produce, and carry new and innovative products in the future.

Top Quest Inc. brands include DEFCON (Jungle Knife, Proelia, Hydra, PAN), S-TEC, SABER SHOGUN, SPARKFOAM, and RYUJIN Samurai Sword.

We also welcome companies to consider us as OEM partners.

SPECIFICATION:

Blade Pivot: Caged Bearings

Blade Shape: Full Tang

Blade Material: D2 Tool Steel

Handle Material: G10

Blade Length: 3.5"

Handle Length: 4"

Overall Length: 7.5"

Overall Weight: 8 oz
(12.8 oz w/ Sheath)

SPECIFICATION:

Blade Pivot: Caged Bearings

Blade Shape: Full Tang

Blade Material: D2 Tool Steel

Handle Material: G10

Blade Length: 4.13"

Handle Length: 4.56"

Overall Length: 8.69"

Overall Weight: 11.2 oz
(14.4 oz w/ Sheath)

SPECIFICATION:

Blade Pivot: Caged Bearings

Blade Shape: Full Tang

Blade Material: D2 Tool Steel

Handle Material: G10

Blade Length: 4.38"

Handle Length: 4.62"

Overall Length: 9"

Overall Weight: 11.2 oz
(14.4 oz w/ Sheath)



TD004



TD004-1
With Serration



TD005



TD005-1
With Serration



TD006



TD006-1
With Serration

WARRANTY

Top Quest Inc. ("DEFCON") warrants to the original owner that this knife will be free from defects in materials and workmanship. DEFCON will, without charge, repair or replace, at DEFCON's option, any knife returned for warranty work and found to be defective by DEFCON, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value.

The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, receipt or any satisfactory proof of the original date of purchase from a retail dealer.

What is covered?

This Warranty covers replacement parts and labor.

What is not covered?

This Warranty does not cover normal wear; non-factory sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife for any purpose other than its intended purpose as a cutting tool); or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any products by any person other than DEFCON's Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife, Do not sharpen your knife on a power grinding wheel. Any of these act will void your Warranty.

MINIMUM CHARGE TO REPAIR THE KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20.





PRØELIA



INFO

www.defcon-usa.com
www.topquestinc.com
sales@topquestinc.com
(909) 628-8188

ADDRESS

13872 Magnolia, Chino CA 91710

Follow us on:

