



DEFCON
SURRENDER NOTHING

Catalog

TD1004FL / TD1004FL-1

SPECIFICATION:

Overall Length: 8.25"

Overall Weight: 4.7 oz

Open Method: Manual

Blade Pivot: Ceramic Bearings

Lock Type: Liner Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Tanto

Blade Material: Sandvik 14C28N

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Brushed

Blade Thickness: 3.2mm

Handle Material:

Glow G10

Handle Length: 4.71"

Handle Thickness: 13.25mm

Color: Jade

Pocket Clip:

Stainless Steel

Tip up Or Tip Down:

Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TD1004FL

TD1004FL-1

Glow In The Dark

TD1003

SPECIFICATION:

Overall Length: 9.06"

Overall Weight: 4.28 oz

Open Method: Manual

Blade Pivot: Ceramic Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Tanto

Blade Material: MagnaCut

Blade Length: 4.13"

Blade Edge: Full Edge

Blade Finish: DLC

Blade Thickness: 3.2mm

Handle Material:

Forged Carbon + Titanium

Handle Length: 4.92"

Handle Thickness: 11.8mm

Color: Black Carbon + Raw Ti

Pocket Clip: Right Handed

Tip up Or Tip Down:

Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No



TD1005

SPECIFICATION:

Overall Length: 8.97"

Overall Weight: 5.0 oz

Open Method: Manual

Blade Pivot: Ceramic Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Tanto

Blade Material: M390

Blade Length: 3.99"

Blade Edge: Full Edge

Blade Finish: Brushed

Blade Thickness: 3.2mm

Handle Material: Ti + Titanium Damascus

Handle Length: 4.96"

Handle Thickness: 12.7mm

Color:

Grey + Purple Ti Damascus

Grey + Green Ti Damascus

Grey + Blue Ti Damascus

Grey + Multi-Color Ti Damascus

Pocket Clip: Titanium

Tip up Or Tip Down: Tip Up Carry

Landyard Hole: Yes

Glass Breaker: No



TD1005BL



TD1005DM



Designed by NICK PIATT aka



GINGER
Designs

SPECIFICATION:

Overall Length: 8.0"

Overall Weight: 4.32 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Leverage Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Tanto

Blade Material: M390

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Coated

Blade Thickness: 3.1mm

Handle Material: 6AL4V Titanium

Handle Length: 4.5"

Handle Thickness: 12.6mm

Color: Raw Titanium, Lighting,

Ano Fade, Dark Blue, Bronze,

Green, Rose Gold, Purple

Pocket Clip: Right Handed


Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TD401





TD401-1



TD401-2



TD401-3



TD401-4



TD401-5



TD401-6



TD401-7

**Special order only
for -1 to -7 models**

RUTHLESS

TD1001-1

SPECIFICATION:

Overall Length: 9.0"

Overall Weight: 5.75 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: CPM S35VN

Blade Length: 4.75"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.9mm

Handle Material: G10 Composite w/ Stainless Steel Liner

Handle Length: 5.25"

Handle Thickness: 15.5mm

Color: Titanium Gray

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes



TD1001

Design by Michael Ruth Jr. ABS Junior Smith

DEFCON

At DEFCON, our team works with designers and innovators around the world bringing you some of the finest production knives available. Our 20 years of experience in the sword and knife industry has given us a unique ability to offer knives ranging from EDC pocket knives to tactical folders and fixed blade. Each knife is produced to the exact specification using precision machining, the best materials, and the best of heat treatments. We will stop at nothing to continue to innovate and to produce top notch products to the consumer; Surrender Nothing!



JUNGLE KNIFE



DEFCON



HYDRA

BLACK FANG

SPECIFICATION:

Overall Length: 8.8"

Overall Weight: 5.6 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Button Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: MagnaCut

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Ceracoat

Blade Thickness: 4.2mm

Handle Material: Dual Color G10

Handle Length: 5"

Handle Thickness: 15.8mm

Color: Black Yellow, Orange Black
Purple Black

Pocket Clip: Right

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TD1002BKYL



Designed by Vance Corich

TD1002BKYL



TD1002OGBK

Designed by Vance Corich

ARTIFACT

SPECIFICATION:

Overall Length: 7.25"

Overall Weight: 2.1 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Cross Bar Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheepfoot

Blade Material:

Sandvik 14C28N

Blade Length: 3.25"

Blade Edge: Full Edge

Blade Finish: Brush

Blade Thickness: 2.2mm

Handle Material:

Glow In The Dark Resin

Handle Length: 4"

Handle Thickness: 10.7mm

Color:

Black Copper, Black Gold,

Blue White, Green Yellow

Pocket Clip: Right

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TD024FL-1

TD024FL

DAY

NIGHT

ARTIFACT

SPECIFICATION:

Handle Material:

Marble Epoxy Resin

TD024BKGD

TD024BKCP



ARTIFACT



TD024BL



TD024BLGN

ARTIFACT

TD024BLWT



TD024RDBL



TD024GNYL



ARTIFACT

TD024CFGNBK

SPECIFICATION:

Handle Material:

Forged Carbon



TD024CFBK

ARTIFACT

TD024CFPP



TD024CFCOL

ARTIFACT

TD024CFRDBK



TD024CFGN

SHADOWPOINT

SPECIFICATION:

Overall Length: 7.50"

Overall Weight: 3.08 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Cross Bar Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheepfoot

Blade Material: Sandvik 14C28N

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Brushed

Blade Thickness: 2.7mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 11mm

Color: Black, Wine Red

Pocket Clip: Ambidextrous

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No



TD021BK

TD021PP

OPERATOR

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 2.13 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Button Lock

Reinforced Lock Bar: Yes

Blade Shape: Tanto

Blade Material: Sandvik 14C28N

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Black, Brushed(TD013OD)

Blade Thickness: 2.7mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 10.9mm

Color: Black, Tan, Green

Pocket Clip: Ambidextrous

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: No

Glass Breaker: No

TD013DM



TD013BK



TD013OD

TIER1

TD014BK

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 2.63 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Button Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheepfoot

Blade Material: Sandvik 14C28N

Blade Length: 3.15"

Blade Edge: Full Edge

Blade Finish: Brushed

Blade Thickness: 2.7mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 11mm


Color: Black, Purple, Red

Pocket Clip: Ambidextrous

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No





TD014PP

TD014RD

TIER2

TD015BK

SPECIFICATION:

Overall Length: 7.75"

Overall Weight: 2.79 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Button Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheepfoot

Blade Material: Sandvik 14C28N

Blade Length: 3.3"

Blade Edge: Full Edge

Blade Finish: Brushed (TD015BK)

Black

Blade Thickness: 2.7mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 11mm

Color: Black, Green, Red

Pocket Clip: Ambidextrous

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No





TD015OD

TD015RD

GHOST

TD016PK

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 2.24 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Axis Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: Sandvik 14C28N

Blade Length: 3.3"

Blade Edge: Full Edge

Blade Finish: Brushed,
Black (TD016BK)

Blade Thickness: 2.7mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 11mm

Color: Black, Pink, Purple

Pocket Clip: Right Hand

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No



TD016PP



TD016BK



DELTA

TD017OD

SPECIFICATION:

Overall Length: 7.25"

Overall Weight: 2.42 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Button Lock

Reinforced Lock Bar: Yes

Blade Shape: Recurve

Blade Material: Sandvik 14C28N

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Brushed

Blade Thickness: 2.7mm

Handle Material: CNC Aluminum

Handle Length: 4"

Handle Thickness: 11mm

Color: Black, Gunmetal, OD Green

Pocket Clip: Ambidextrous

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No





TD017BK

TD017GY

WARHAWK

TD020WT

SPECIFICATION:

Overall Length: 7.50"

Overall Weight: 3.08 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Button Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheepfoot

Blade Material: Sandvik 14C28N,
VG10+304 Damascus Blade (TD020WT)

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Brushed (TD020BK, TD020WT)
Black Di-cut

Blade Thickness: 2.7mm

Handle Material: Micarta (TD020BK)

G10 Composite

Handle Length: 4.25"

Handle Thickness: 11mm

Color: Black, Brown,
White, OD Green

Pocket Clip: Ambidextrous

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No





TD020BK



TD020BR



TD020OD



DBAR

SPECIFICATION:

Overall Length: 7.50"

Overall Weight: 3 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Cross Bar Lock

Reinforced Lock Bar: Yes

Blade Shape: Mini Cleaver

Blade Material: Sandvik 14C28N

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 2.9mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 15.5mm

Color: Black, Green

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TD022GN



TD022BK

CODE4

SPECIFICATION:

Overall Length: 7.50"

Overall Weight: 3 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Cross Bar Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheepfoot

Blade Material: Sandvik 14C28N

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 2.9mm

Handle Material: CNC Aluminum

Handle Length: 4.25"

Handle Thickness: 15.5mm

Color: Light Gold, Red

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No



TD023RD



TD023DC

ACCEL

TF3037

SPECIFICATION:

Open Method: Manual

Lock Type: Spring Lock

Quick-Change Blade: Yes

Blade Pivot: Ball Bearing

Blade Shape: Trainer, Fork & Spork Included

Blade Material: Titanium

Handle Material: 6AL4V Titanium

Blade Length: 4"

Blade Edge: No Edge

Blade Finish: Treated Titanium

Overall Length: 8.5"

Overall Weight: 3.6oz

Color: Light Titanium Gray





SPECIFICATION:
Accessories Sold Separately



Model: TF3037B4
Blade Shape: Drop Point
Blade Material: D2 Tool Steel
Blade Length: 4"
Blade Edge: Edge
Blade Finish: Brushed
Overall Length: 4"



Model: TF3037B5
Blade Shape: Comb
Blade Material: 6AL4V Titanium
Blade Length: 4"
Blade Edge: No Edge
Blade Finish: Gray
Overall Length: 4"



Model: TF3037B6
Blade Shape: Multi-Function Tool
Blade Material: 6AL4V Titanium
Blade Length: 4"
Blade Edge: Edge
Blade Finish: Brushed
Overall Length: 4"

FULCRUM

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 3.33 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Leverage Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: M390

Blade Length: 3.2"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.27mm

Handle Material: 6AL4V Titanium

Handle Length: 4.0"

Handle Thickness: 12.5mm

Color: Titanium Gray,

Blue Titanium w/ Laser Engraving,

Bronze Titanium w/ Laser Engraving,

Black Titanium w/ Artist Laser Engraving

Pocket Clip: Reversible Clip

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TF9617-2





TF9617-1



TF9617



TF9617-3



FULCRUM LITE

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 3.06 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Leverage Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: Sandvik 14C28N

Blade Length: 3.2"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.27mm

Handle Material: G10,
Carbon Fiber (TF6010CB)

Handle Length: 4.0"

Handle Thickness: 12.5mm

Color: OD Green, Black, Brown,
Carbon Fiber

Pocket Clip: Reversible Clip

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TF6010OD



TF6010BK





TF6010BK-1



TF6010BR



TF6010CB

RECON

SPECIFICATION:

Open Method: Manual

Lock Type: Lock-Bar

Reinforced Lock Bar: Yes

Blade Pivot: Caged Bearing

Blade Shape: Sheep Foot

Blade Material: M390

Handle Material: 6AL4V Milled Titanium

w/ Carbon Fiber Inlay

Blade Length: 3.6"

Blade Edge: Full Edge

Blade Finish: Satin Brush

Blade Thickness: 3.69mm

Handle Length: 4.8"

Overall Length: 8.35"

Overall Weight: 4.65oz

Color: Gray, Blue, Tan

Pocket Clip: Reversible Clip

Tip Up/Down: Tip Up Carry

Lanyard Hole: Yes

TF9132-2



TF9132



TF9132-1

TF9313-2



GRAVITY

TF9313

SPECIFICATION:

Overall Length: 8.75"

Overall Weight: 5.34 oz

Open Method: Manual

Blade Pivot: Caged Bearings w/ Ti-Damascus Inlay

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Wharncliffe

Blade Material: M390

Blade Length: 3.50"

Blade Edge: Full Edge

Blade Finish: Black Coating

Blade Thickness: 4.0mm

Handle Material:

6AL4V Milled Titanium

w/ Titanium Damascus Inlay

Handle Length: 5.0"

Handle Thickness: 13.5mm

Color: Black, Ti-Silver, Ti-Purple w/ Laser Etching

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: Yes



TF9313-1



CONDOR

SPECIFICATION:

Overall Length: 8.2"

Overall Weight: 4.3 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Clip Point

Blade Material: M390

Blade Length: 3.38"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.6mm

Handle Material: 6AL4V Milled Titanium +

Forged Carbon Resin

Handle Length: 4.8"

Handle Thickness: 12.5mm

Color: Titanium Gray, Titanium Blue

Titanium Green

Pocket Clip: Right Carry Only

Tip up Or Tip Down:

Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TF9400





TF9400-1



TF9400-2



RHINO

SPECIFICATION:

Overall Length: 5.7"

Overall Weight: 1.9 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: M390

Blade Length: 2.5"

Blade Edge: Full Edge

Blade Finish: Satin Brush

Blade Thickness: 3.2mm

Handle Material: 6AL4V Milled Titanium

Handle Length: 3.2"

Handle Thickness: 10mm

Color: Light Titanium Gray

Titanium Purple, Burnt Titanium Stripe

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: Yes



TF9315



TF9315-1

TF9315-2

SUITS

SPECIFICATION:

Overall Length: 8.5"

Overall Weight: 2.8 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Straight Back

Blade Material: M390

Blade Length: 3.75"

Blade Edge: Full Edge

Blade Finish: Satin Brush

Blade Thickness: 3.1mm

Handle Material:

6AL4V Milled Titanium w/ Carbon Fiber Inlay

Handle Length: 4.7"

Handle Thickness: 12.7mm

Color: Gray, Brown, Purple

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: No

TF9389

TF9389-1

TF9389-2

VALKYRIE

SPECIFICATION:

Overall Length: 7.1"

Overall Weight: 2.7 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Drop Point

Blade Material: M390

Blade Length: 3"

Blade Edge: Full Edge

Blade Finish: Satin Brush

Blade Thickness: 3.2mm

Handle Material:

6AL4V Milled Titanium w/ Carbon Fiber Inlay

Handle Length: 4.1"

Handle Thickness: 11mm

Color: Light Titanium Gray, Phoenix Yellow,

Burnt Titanium Stripe

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

Glass Breaker: Yes

TF9393



TF9393-1



TF9393-2



DRACO

TF4100

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Straight Back w/ Swedge

Blade Material: 52100 Ball Bearing Damacus

Handle Material: 6AL4V Titanium

Blade Length: 3.5"

Handle Length: 5"

Overall Length: 9"

Overall Weight: 4.1 oz



BARRACUDA

SPECIFICATION:

Overall Length: 8.25"

Overall Weight: 3.7 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Straight Back w/ Swedge

Blade Material: 52100 Ball Bearing Damascus

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Ball Bearing Damascus

Blade Thickness: 3.6mm

Handle Material: 6AL4V Titanium

Handle Length: 4.75"

Handle Thickness: 11mm

Color: Titanium Blue with Burnt Stripe

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Lanyard Hole: Yes

TF4330



PEREGRINE

SPECIFICATION:

Overall Length: 9"

Overall Weight: 2.5 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Sheep Foot

Blade Material: 10Cr15CoMov Damascus

Blade Length: 4"

Blade Edge: Full Edge

Blade Finish: Satin Damascus

Blade Thickness: 3.1mm

Handle Material:

6AL4V Milled Titanium

Handle Length: 5"

Handle Thickness: 10.7mm

Color: Titanium Gray (Damascus Pattern),

Titanium Blue (Damascus Pattern),

Titanium Bronze (Damascus Pattern)

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Landyard Hole: Yes

Glass Breaker: Yes



TF4394-1



TF4394

TF4394-2

VULTURE

TF4392-2

SPECIFICATION:

Overall Length: 9"

Overall Weight: 3.1 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Frame Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Spear Point

Blade Material: 10Cr15CoMov Damascus

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Satin Damascus

Blade Thickness: 3.0mm

Handle Material: 6AL4V Titanium

Handle Length: 5"

Handle Thickness: 12.5mm

Color: Titanium Gray (Damascus Pattern)

Titanium Green (Damascus Pattern)


Titanium Purple (Damascus Pattern)

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

Landyard Hole: Yes

Glass Breaker: Yes



TF4392




TF4392-1

10Cr15CoMov Damascus Steel

The 10Cr15CoMov is created in an effort to recreate the vastly popular VG10 steel. The 10Cr15CoMov Damascus is beautifully crafted 67 layer Damascus steel and offers great edge retention with high carbon content as well as addition of cobalt.

Each blade is hand finished by our craftsman to the greatest detail.

HRC 58-60



TF4406-1

KATANA



TF4406

SPECIFICATION:

Opening Method: Manual

Lock Type: Liner Lock

Blade Pivot: Caged Bearings

Blade Shape: Tanto

Blade Material: 10Cr15Mov Damascus

Blade Thickness: 3.1 mm

Handle Material: 6AL4V Titanium

Blade Finish: Satin Damascus

Blade Length: 3.5"

Handle Length: 5"

Overall Length: 9"

Weight: 2.7 oz



TF4406-2

NEO-SHILIN F

SPECIFICATION:

Overall Length: 8.7"

Overall Weight: 5.6 oz(TD009FBK), 5.3 oz(TD009FRD)

Open Method: Manual

Blade Pivot: Ball Bearing

Lock Type: Liner Lock

Reinforced Lock Bar: Yes

Blade Shape: Curved Blade

Blade Material: Sandvik 14C28N

Blade Length: 3.74"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.8mm

Handle Material: G10

Handle Length: 4.92"

Handle Thickness: 15mm

Color: Black G10,
Red/Black Horse Pattern G10

Pocket Clip: Reversible Clip

Tip up Or Tip Down: Tip Up Carry



TD009FRD



TD009FBK

TD010FBK



SPECIFICATION:

Overall Length:

7.25" (TD010FBK, TD012FBK), 7.20" (TD011FBK)

Overall Weight:

1.96 oz (TD010FBK), 1.9 oz (TD011FBK), 1.91 oz (TD012FBK)

Open Method: Manual

Blade Pivot: Ball Bearing

Lock Type: Lock Bar

Reinforced Lock Bar: Yes

Blade Shape: Curved Blade

Blade Material:

Sandvik 14C28N

Blade Length: 3.15" (TD010FBK),

3.11" (TD011FBK), 2.99" (TD012FBK)

Blade Edge: Full Edge

Blade Finish: Satin Black

Blade Thickness: 2.3mm

Handle Material: G10

Handle Length: 4.09" (TD010FBK, TD011FBK), 4.25" (TD012FBK)

Handle Thickness: 11mm

Color: Black G10,

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry



TD011FBK



TD012FBK



REVIVE

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 5.75 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Liner Lock

Reinforced Lock Bar: Yes

Blade Shape: Modified Drop Point

Blade Material: Sandvik 14C28N

Blade Length: 3.15"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.9mm

Handle Material: G10-Composite w/ Stainless Steel Liner

Handle Length: 4.35"

Handle Thickness: 15.5mm

Color: Black G10, Translucent G10, White G10

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry



TD004F-4

TD004F-1



TD004F-2



TD004F-3



RAPTOR

SPECIFICATION:

Open Method: Manual

Lock Type: Frame Lock

Blade Pivot: Caged Bearings

Blade Shape: Modified Hawkbill w/ Swedge

Blade Material: CPM S35-VN

Handle Material: 6AL4V Milled Titanium
w/ Forged Carbon

Blade Length: 3"

Handle Length: 5.25"

Overall Length: 8"

Overall Weight: 5.3 oz



TF5221-2



TF5221-1



TF5221

SPECIFICATION:

Overall Length: 8.25"

Overall Weight: 5.75 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Liner Lock

Reinforced Lock Bar: Yes

Blade Shape: Sheep Foot

Blade Material: 7CR17MOV

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.9mm

Handle Material: G10-Composite w/ Stainless Steel Liner

Handle Length: 4.75"

Handle Thickness: 15.5mm

Color: Blue Gray G10, Green G10, Orange G10

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

PRØELIA

TX301OR



TX301BL



TX301GN



SPECIFICATION:

Overall Length: 8.25"

Overall Weight: 3.9 oz

Open Method: Manual

Blade Pivot: Caged Bearings

Lock Type: Liner Lock

Reinforced Lock Bar: Yes

Blade Shape: Tanto

Blade Material: 7CR17MOV

Blade Length: 3.5"

Blade Edge: Full Edge

Blade Finish: Satin

Blade Thickness: 3.9mm

Handle Material: G10-Composite w/ Stainless Steel Liner

Handle Length: 4.75"

Handle Thickness: 15.5mm

Color: Black G10, Green G10, Gray G10

Pocket Clip: Right Carry Only

Tip up Or Tip Down: Tip Up Carry

PRØELIA

TX302GY



TX302BK



TX302GN





TF3101-1



TF3101-2



TF3101

CLAW

SPECIFICATION:

Blade Shape: Modified Hawkbill w/ Swedge

Blade Material: D2 Tool Steel

Handle Material: 6AL4V Titanium
w/ Forged Carbon

Blade Length: 4"

Handle Length: 4.5"

Overall Length: 8.5"

Overall Weight: 9.9 oz



TD001BK



TD001SL

SPECIFICATION:

Overall Length: 10.8"

Overall Weight: 0.7 lb

Blade Shape: Modified Full Tang Tanto

Blade Finish: Stone Wash

Blade Material: D2 Air Hardened Steel

Blade Length: 5.75"

Blade Thickness: 7mm

Handle Material: G10 Composite

Handle Length: 5.5"

Handle Thickness: 18.7mm

Sheath: Kydex Sheath w/ Belt Clip



TD002BK



TD002SL

SPECIFICATION:

Overall Length: 11.3"

Overall Weight: 0.9 lb

Blade Shape: Drop Point

Blade Finish: Stone Wash

Blade Material: D2 Air Hardened Steel

Blade Length: 5.75"

Blade Thickness: 7mm

Handle Material: G10 Composite

Handle Length: 5.5"

Handle Thickness: 18.7mm

Sheath: Kydex Sheath w/ Belt Clip



TD003BK



TD003SL

SPECIFICATION:

Overall Length: 14.5"

Overall Weight: 1.1 lbs

Blade Shape: Drop Point

Blade Finish: Stone Wash

Blade Material: D2 Air Hardened Steel

Blade Length: 8.75"

Blade Thickness: 7mm

Handle Material: G10 Composite

Handle Length: 5.5"

Handle Thickness: 18.7mm

Sheath: Kydex Sheath w/ Belt Clip



TD004



TD004-1
With Serration

SPECIFICATION:

Overall Length: 7.5"

Overall Weight: 8 oz

Blade Shape: Drop Point

Blade Finish: Stone Wash

Blade Material: D2 Tool Steel

Blade Length: 3.5"

Blade Thickness: 7mm

Handle Material: G10 Scales

Handle Length: 4"

Sheath: Kydex Sheath w/ Belt Clip
(12.8 oz w/ Sheath)



TD005



TD005-1
With Serration

SPECIFICATION:

Overall Length: 8.69"

Overall Weight: 11.2 oz

Blade Shape: Drop Point

Blade Finish: Stone Wash

Blade Material: D2 Tool Steel

Blade Length: 4.13"

Blade Thickness: 7mm

Handle Material: G10 Scales

Handle Length: 4.56"

Sheath: Kydex Sheath w/ Belt Clip
(14.4 oz w/ Sheath)



TD006



TD006-1
With Serration

SPECIFICATION:

Overall Length: 9"

Overall Weight: 11.2 oz

Blade Shape: Clip Point

Blade Finish: Stone Wash

Blade Material: D2 Tool Steel

Blade Length: 4.38"

Blade Thickness: 7mm

Handle Material: G10 Scales

Handle Length: 4.62"

Sheath: Kydex Sheath w/
Belt Clip (14.4 oz w/ Sheath)

SPECIFICATION:

Overall Length: 9"

Overall Weight: 0.7 lbs

Blade Shape: Modified Drop Point

Blade Material: D2 Air Hardened Steel

Blade Length: 4"

Blade Edge: Full Edge

Blade Finish: Stonewash

Blade Thickness: 4.9mm

Handle Material:

Resin Handle w/ Carbon Fiber & Copper Flakes/

Resin Handle w/ Carbon Fiber & Brass Flakes/

Resin Handle w/ Carbon Fiber & Metal Flakes/

G10 Handle (TD007SL)

Handle Length: 5.25"

Handle Thickness: 0.69"

Sheath: Kydex Sheath w/ Belt Clip

TD007BK-1



TD007BK-2

TD007BK-3



TD007SL



SPECIFICATION:

Overall Length: 11.8"

Overall Weight: 1 lb.

Blade Shape: Drop Point

Blade Material: D2 Tool Steel

Blade Length: 6.28"

Blade Edge: Full Edge

Blade Finish: Brushed

Blade Thickness: 5mm

Handle Material: G10 Composite

Handle Length: 5.5"

Sheath: Kydex Sheath w/ Belt Clip

TD008



SPECIFICATION:

Overall Length: 8.94"

Overall Weight: 7.88 oz

Blade Shape: Drop Point

Blade Material: Sandvik 14C28N

Blade Length: 3.94"

Blade Edge: CNC Grinding

Blade Finish: Satin Black

Blade Thickness: 4mm

Handle Material: G10

Handle Length: 5"

Handle Thickness: 16mm

Sheath: Kydex Sheath w/
Belt Clip & Pharaoh Rod

TD009



Discontinued Models



TF5288-2



TF5288-3



TF5288



TF5288-1



TF5219-1



TF5219-2



TF5219



TF5219-3



TF3220



TF3220-1



TF3329



TF3329-1



TF3329-2



TF3329-3



TF9312



TF9312-1



TF5344-2



TF5344-1



TF5344



TF5290-4



TF5290-3



TF5290



TF5290-2



TF5289-5



TF5289-4



TF5289-3



TF5289



TF5289-1



TF5289-2



TF3333-1



TF3333



TF3333-2



TF3334-3



TF3334



TF3334-2



TF3334-1



TF3217



TF3217-3



TX010



TX020



TX030



TX040RS



TX040GNS



TX050



TX050CFS



TX060



TX903BK



TX903



TX910



TX912



TX916



TX926



TX927BK



TX931



TX934



TX948

WARRANTY

Top Quest Inc. ("DEFCON") warrants to the original owner that this knife will be free from defects in materials and workmanship. DEFCON will, without charge, repair or replace, at DEFCON'S option, any knife returned for warranty work and found to be defective by DEFCON, according to the terms of this Warranty. If we choose to replace the knife, we may replace it with the same model or one of equal value.

The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, receipt or any satisfactory proof of the original date of purchase from a retail dealer.

What is covered?

This Warranty covers replacement parts and labor.

What is not covered?

This Warranty does not cover normal wear; non-factory sharpening of the blade; cosmetic damages (such as scratches on the product); damage caused by neglect and/or misuse (meaning use of the knife of any purpose other than its intended purpose as a cutting tool); or the failure to perform normal or necessary maintenance. The Warranty does not cover disassembly or modification of any products by any person other than DEFCON'S Warranty department. The Warranty does not cover damage incurred while in shipment; insurance for the product during shipping is recommended and is your responsibility. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty. MINIMUM CHARGE TO REPAIR THE KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS \$20.

TOP QUEST INC.

Top Quest Inc., founded in 2013 with a goal of changing the U.S. market and move from the current state which views samurai products as ornamental into something better, to craft and create utility at many levels beyond just show and tell, and to carry the spirit of the true samurai.

DEFCON brand is created under Top Quest Inc. to push the forward thinking of the founder Sam Sung whom created several trademark and patents during his 20 years career in the swords and knife industry. Our focus is to bring high quality products through research and development with innovating and exciting design. With our founder's unique experience in the industry, we are able to improve on the knife manufacturing process as well as building a stronger connection and foundation with our friends and families in the knife industry including many great knife smiths from the American Bladesmith Society.

This spirit of innovation and improvement will continue into the future and will result in new and exciting products such as the products recently released and also new products that are currently being developed. We welcome a relationship with your as we continue to design, product, and carry new and innovative products in the future.

Top Quest Inc. brands include DEFCON (Jungle Knife, Proelia, Hydra, PAN), S-TEC, SABER SHOGUN, SPARKFOAM, and RYUJIN Samurai Sword.

We also welcome companies to consider us as OEM partners.



PRØELIA



JUNGLE KNIFE



DEFCON
SURRENDER NOTHING

HYDRA



Welder Knives / Welder Life

INFO

www.defcon-usa.com
www.topquestinc.com
sales@topquestinc.com

ADDRESS:

13872 Magnolia Ave.
Chino, CA 91710
(909) 628-8188

Follow us on:



Defcon Tactical



defconknives